

HI-TORQUE PROGRESS™

Guide Wires

A CTO INDICATED GUIDE WIRE

FIVE UNIQUE WIRES DESIGNED FOR A VARIETY OF CHRONIC OCCLUSION TECHNIQUES

PARABOLIC CORE GRIND

for vessel tracking and steering

HYDROPHILIC COATED INTERMEDIATE POLYMER SLEEVE

for lubricity

EXPOSED TIP COIL

for tactile feel

TAPERED TIP (FOR 140T AND 200T MODELS)

for high penetration power

Data on file at Abbott.

**Information contained herein for DISTRIBUTION outside the U.S. ONLY.
Check the regulatory status of the device in areas where CE marking is not the regulation in force.**

©2021 Abbott. All rights reserved. MAT-2102006 v1.0

LEADING THE WAY IN GUIDE WIRE TECHNOLOGY



HI-TORQUE PROGRESS™ GUIDE WIRE ORDERING INFORMATION



HI-TORQUE PROGRESS™ 40

PRODUCT DESCRIPTION	PART NUMBER	WIRE LENGTH (cm)	TIP SHAPE	RADIOPAQUE TIP LENGTH (cm)	TIP LOAD* (g)	TIP DIAMETER (in)	PENETRATION POWER* (kg/in ²)
HI-TORQUE PROGRESS™ 40	1011836	190	Straight	3	5.0	0.012	44
HI-TORQUE PROGRESS™ 40	1011837	300	Straight	3	5.0	0.012	44

HI-TORQUE PROGRESS™ 80

PRODUCT DESCRIPTION	PART NUMBER	WIRE LENGTH (cm)	TIP SHAPE	RADIOPAQUE TIP LENGTH (cm)	TIP LOAD* (g)	TIP DIAMETER (in)	PENETRATION POWER* (kg/in ²)
HI-TORQUE PROGRESS™ 80	1011838	190	Straight	3	11.5	0.012	102
HI-TORQUE PROGRESS™ 80	1011839	300	Straight	3	11.5	0.012	102

HI-TORQUE PROGRESS™ 120

PRODUCT DESCRIPTION	PART NUMBER	WIRE LENGTH (cm)	TIP SHAPE	RADIOPAQUE TIP LENGTH (cm)	TIP LOAD* (g)	TIP DIAMETER (in)	PENETRATION POWER* (kg/in ²)
HI-TORQUE PROGRESS™ 120	1011844	190	Straight	3	17.5	0.012	154
HI-TORQUE PROGRESS™ 120	1011845	300	Straight	3	17.5	0.012	154

HI-TORQUE PROGRESS™ 140T

PRODUCT DESCRIPTION	PART NUMBER	WIRE LENGTH (cm)	TIP SHAPE	RADIOPAQUE TIP LENGTH (cm)	TIP LOAD* (g)	TIP DIAMETER (in)	PENETRATION POWER* (kg/in ²)
HI-TORQUE PROGRESS™ 140T	1011840	190	Straight	3	15.5	0.0105	178
HI-TORQUE PROGRESS™ 140T	1011841	300	Straight	3	15.5	0.0105	178

HI-TORQUE PROGRESS™ 200T

PRODUCT DESCRIPTION	PART NUMBER	WIRE LENGTH (cm)	TIP SHAPE	RADIOPAQUE TIP LENGTH (cm)	TIP LOAD* (g)	TIP DIAMETER (in)	PENETRATION POWER* (kg/in ²)
HI-TORQUE PROGRESS™ 200T	1011842	190	Straight	3	13.5	0.009	212
HI-TORQUE PROGRESS™ 200T	1011843	300	Straight	3	13.5	0.009	212

*Tests performed by and data on file at Abbott.

CAUTION: This product is intended for use by or under the direction of a physician. Prior to use, reference the Instructions for Use, inside the product carton (when available) or at vascular.eifu.abbott or at medical.abbott/manuals for more detailed information on Indications, Contraindications, Warnings, Precautions and Adverse Events. This material is intended for use with healthcare professionals only.

Information contained herein for DISTRIBUTION outside the U.S. ONLY. Check the regulatory status of the device in areas where CE marking is not the regulation in force.

Illustrations are artist's representations only and should not be considered as engineering drawings or photographs.

Data on file at Abbott.

Abbott International BVBA

Park Lane, Culliganlaan 2B, 1831 Diegem, Belgium, Tel: 32.2.714.14.11

™ Indicates a trademark of the Abbott Group of Companies.

www.cardiovascular.abbott

©2021 Abbott. All rights reserved. MAT-2102006 v1.0